

# Poster & Signage Hardware

Poster Rails  
Signage Clips  
Poster Frames  
Sign Hanging Hardware  
ZIVA Footpath Stand  
Edge Lit Lightboxes

# Poster & Signage Hardware

## PAGE NO#

I1	Poster Rails Plastic
I2	ALI-INFO Rail
I3	Poster Hanging Fittings
I4	'REEL-EASY' Sign Hanging System
I5	ALI-INFO Frames
I6	ALI-INFO Rail Applications
I7	ALI-CLICK Frames
I8	'ZIVA' Footpath Sign
I9	Crowd Control Barriers
I10	'EDGE-LIT' Lightboxes
I11	'EDGE-LIT' Lightboxes
I12	Ticket Clips
I13	Signage Frames


## POSTER RAILS - PLASTIC

- In-store poster hanging has never been easier thanks to our range of poster rails that allow you to suspend graphics from thin paper to foamboards.
- Our range of ceiling-mount fittings offer fixed or variable length hooks that can be mounted onto suspended ceiling grid systems or flushed ceilings.
- Our new REEL-EASY retractable suspension fitting means that you'll never have to climb a ladder again to change signage (see page 14).

## SUPER SNAP

With its substantial profile SUPER SNAP gives your graphics a bold, clear finish. Its durable design is ideal for holding wider graphics without bowing or curling. Best of all, graphics change in seconds with its snap-open, snap-closed hinge.

- Solid profile for a bolder look
- Ideal for wider graphics
- No scoring or graphic preparation required
- Durable and reliable



**AP1690/3** - 1000mm

**AP1690/10** - 3000mm

Available in Clear (CL),  
Black (BL) or White (WH).

## PLASTI-SLIDE

- Our lowest price sign holder.
- Sturdy yet lightweight.
- No scoring or stapling necessary.
- Simply slides on to graphic.




**AP1776/3** - 1000mm (L)

**AP1776/4** - 1250mm (L)


Available in Clear (CL), Black (BL) or White (WH).




**AP1777**  
Hanging clip.



**AP1778**  
Hanging clip.



**AP1696**  
Wall mount hanger.



**AP1697**  
Plankwall clip.

## PLASTIC-GRABBERS

- Our most popular sign holder.
- Easiest to use - simple snap open, insert your graphic then snap shut.
- Install and replace in seconds.
- No scoring or stapling required.



**AP1780/3** - 1000mm (L)

**AP1780/4** - 1200mm (L)

**AP1780/8** - 2400mm (L)

**AP1780/10** - 3000mm (L)



Hanging Clips

**AP1778**  
Clear Plastic.

**AP1759**  
Metal Clip.

## ALI-INFO-RAIL

- This ALI-INFO system provides you with the most versatile signage system - a perfect combination of elegant, metallic appearance together with rigid construction that totally eliminates bowing over long lengths.
- Available with accessories for a wide range of graphic materials - from thin paper, vinyl banner to 5mm thick foam board.

**AP1787/3** - 1000mm (L)

**AP1787/4** - 1250mm (L)

**AP1787/8** - 2500mm (L)

**AP1787/5M** - 5000mm (L)

Available in Clear Anodised (AN) or Polished Silver (PS).



## END CAP

Black plastic cap pushes into end to provide a finished look. When you need to change the graphic simply rotate.

**AP1779**

Black plastic.



## HANGING CLIPS

**AP1778**

Clear plastic.

**AP1759**

Pressed steel-zinc finish.



## ALI-INFO + PLASTI-SLIDE

The economy of the PLASTI-SLIDE in conjunction with the rigidity of the ALI-INFO-RAIL. Works best in semi-rigid substrates up to 2mm thick. For longer lengths you can use a number of 300mm long PLASTI-SLIDE pieces for easier attachment.

**AP1789/3** - 1000mm (L)

**AP1789/4** - 1250mm (L)

**AP1789/8** - 2500mm (L)

Includes 2 x end caps.

Specify aluminium finish:

Clear Anodised (AN) or Polished Silver (PS).



## ALI-INFO + PLASTI-GRABBER

ALI-INFO-RAIL can accept up to 4.5mm thick foam board without scoring. Use #1736 plastic rivet on rigid substrates of thinner material.

**AP1792/3** - 1000mm (L)

**AP1792/4** - 1250mm (L)

**AP1792/8** - 2500mm (L)

Includes 2 x end caps.

Specify aluminium finish:

Clear Anodised (AN) or Polished Silver (PS).



## ALI-INFO-RAIL & SEWN BANNERS

ALI-INFO-RAIL will accept vinyl or canvas banners with a sewn pocket to take an 8mm dia. dowel.




## ALI-INFO-RAIL & RIGID SUBSTRATES

ALI-INFO-RAIL will accept vinyl or canvas banners with a sewn pocket to take an 8mm dia. dowel.

- Drill 6mm diameter holes down 6mm (to centre)

- Push in plastic rivets from either side



- Slide into rails on inside of aluminium extrusion



**AP1736**

## SUSPENDED CEILING FITTINGS

- A AP1750** - Fish clip - Galvanised steel.
- B AP1751** - Galvanised steel anchor (installed with ROPOLE).
- C AP1753** - Grid clip - virtually invisible for light applications.
- D AP1760** - Clear polycarbonate clip (installed with ROPOLE).  
Can be used for single point installation.



## REGULAR HOOK

2mm galvanised wire with 16mm opening.



- AP1770/4** - 100mm
- AP1770/6** - 150mm
- AP1770/12** - 300mm
- AP1770/18** - 450mm
- AP1770/24** - 600mm
- AP1770/30** - 750mm
- AP1770/36** - 900mm

## JET WIRE

For light duty applications - pull it to length required - it will stay in place.



- AP1774** - Starts at 150mm, stretches to 1200mm. Holds 500g.
- AP1774A** - Starts at 200mm, stretches to 1500mm. Holds 1Kg.

## 'S' HOOK

Allows hanging of multiple signs in tandem.



- AP1771** - 25mm
- AP1773** - 45mm
- AP1772** - 100mm  
Heavy duty.

## SCREW-ON CEILING TRACK



Ideal for plasterboard ceilings or other non-grid areas. Shift sign placement left or right with ease.

Remove and replace promotions in seconds, or even install parallel tracks for a 3D look. Powdercoated off-white to match ceiling.

**AP1767** - 1200mm.  
Includes mounting anchors.

**AP1768** - 2400mm.  
Includes mounting anchors.


## CLEAR LOCKING HOOK



The safest hook available - Locks your entire hanging system together for a trouble-free and easy installation. Clear polycarbonate.

- AP1775/6** - 150mm.
- AP1775/12** - 300mm.
- AP1775/18** - 450mm.

## CLEAR BASE/LOCKING COMBINATION



The safest hook available - Locks your entire hanging system together for a trouble-free and easy installation. Clear polycarbonate.

- A**  
Base  
**AP1765B**
- B**  
Single Locking Hook  
**AP1765/6** - 150mm  
**AP1765/12** - 300mm  
**AP1765/18** - 450mm



## UNIVERSAL SPRING CLIPS

**A**  
Mighty Clip  
**AP5039** - 50mm overall length with 10mm dia. rotating ring and spring clip.

Available in black or white.

**B**  
Super Mighty Clip  
**AP5033** - 100mm long with 25mm dia. rotating ring and heavy duty spring clip.


Available in black or white.

**C**  
Boot Clip  
**AP5034** - 120mm overall length with wire coat hanger hook and heavy duty spring clip in clear.

# REEL-EASY SIGN HANGING

## REEL-EASY SIGN HANGING

- REEL-EASY is a true 'ladderless' sign hanging system that works on a similar principle to a Holland blind to allow you to pull signage down and change it at ground level.
- Consists of a plastic moulded housing that mounts securely to ceiling 'T' bar with easy to squeeze open jaws. Hanger houses a retractable cord reel suspending a 250mm wide tube with 2 'S' hooks. Suspend rigid signage direct from these 'S' hooks or use one of our poster hanging rails for paper signs. Retractable cord allows 'bar' and sign to be lowered over 3 mtrs.
- Adjustable cord 'stop' provides level, uniform sign height throughout the store.
- Purchase the telescopic aluminium pole that extends up to 3 mtrs. Plastic head lowers bar for quick sign change, then raise sign to the pre-determined height.



## ALUMINIUM POLE

3-section aluminium pole extends up to 3 mts.



AP1675

## REEL-EASY HANGER



AP1670

## BEAM ADAPTER

Provides mountings from ceiling beams and trusses in a warehouse, non 'T' bar situation. Swivel plate allows 90° rotation of the REEL-EZ Hanger.



AP1673

## ALI-INFO-FRAMES

- At last, an affordable framing system that's both simple to use & assemble.
- Achieve a museum quality look with the shapely aluminium profile.
- Ideal for any graphic from thin paper up to rigid substrates of 4mm.
- Simply slide out the old graphic and slide in the new.
- Frames can be specified as top or side loading.
- Can be wall mounted or ceiling hung with our large range of standard fittings.
- Ships unassembled. Simply push in the corner stakes by hand and push frame pieces together.



## ORDERING INFORMATION

### ALI-INFO-FRAME

#### AP1730

Specify size, finish and top or side loading. i.e. AP1730/Graphic Size/Top (T) or Side (S)/Landscape (L) or Portrait (P), eg: AP1730POL-A3L-T = An A3 size frame in polished silver, landscape format with top loading. Specify colour: Clear Anodised (AN) or Polished Silver (PS).

### Clear Cover

#### AP1731

Optional 1.0mm thick clear plastic sheet to protect your graphic. Use 1 piece for wall mounted frames and 2 pieces for hanging frames for visibility on both sides. Specify size eg: AP1731/A3.

### White Backing Sheet

#### AP1734

Optional 1.0mm thick white plastic sheet to provide economical backing for thin paper posters in wall-mounted frames. Specify size eg: AP1734/A3.

## WALL CLIPS



#### AP1732

Use 2 clips to hang frame 4 clips for a more secure fixing. Sold individually.



#### AP1733

Plankwall clip. Use 2 clips per frame.



## DELUXE POSTER STANDS

- Quality stand with deluxe chrome base.
- Your graphic enclosed between 2 sheets of clear acrylic.
- Can be assembled or ships flat for simple tool-less assembly.
- Posters simply inserted or removed through top of stand.

	Poster Size	Overall Height	Base Dia.
<b>AP1722</b>	A3 Landscape	1240mm	350mm
<b>AP1723</b>	A2 Portrait	1530mm	450mm
<b>AP1724</b>	A2 Landscape	1350mm	450mm
<b>AP1725</b>	A1 Portrait	1635mm	450mm
<b>AP1726</b>	A1 Landscape	1625mm	450mm
<b>AP1727</b>	A0 Portrait	1850mm	450mm
<b>AP1728</b>	A4 Landscape	1150mm	350mm

## ALI-INFO-RAIL APPLICATIONS

The use of ALI-INFO-FRAME is limited only by the imagination with our range of connectors with the following features:

- Lightweight & durable.
- Easy to assemble.
- Ability to change promotions with ease.
- Customised to your exact dimension.
- Free-standing or hung from ceiling.



Ceiling hung ALI-INFO-Frame assemblies provide a dramatic drawing point inside your store.




ALI-INFO-FRAME is ideal for creating semi-permanent displays.

## FLEXIBLE SPLINE

Join frames at almost any angle for 3, 4 or more sided units for suspending from ceiling or free standing.

- No tools necessary - assembles in minutes.
- Dramatic and affordable.
- Free standing or ceiling hung applications.



**AP1738**  
Flexible PVC Spline.  
Sold per metre.



## PLASTIC FOOT

Secure fit snaps onto the rounded profile of the Ali-Info Frame. Provision for screwing onto flat surface.

**AP1793**  
75 x 45 mm.



## STACKER BAR

Allows for stacking Ali-Info Frames as shown.




**AP1752**  
Length 3050mm.



## FRAME TOPPER CLIP

Add additional messages to your stand with Topper clips in clear plastic. Simply snap clips onto top rail of your frame and insert your graphics up to 3mm thick.

**AP1689**  
Clear plastic.





## ALI-CLICK FRAMES

- A fully assembled, self-contained, front loading poster frame.
- Spring-loaded sides hinge independently for rapid graphic change.
- Choose from single or double-sided viewing.
- An excellent system for lightbox fronts with opal acrylic backing panel, allowing simple transparency change.
- Choose from the following mounting options:
  - Secure wall fix with 4 screw
  - Removable wall fix with 2 screws
  - Suction cup mounting for windows, refrigerators etc.
- Standard finishes available:


**(A) AP1795** Back frame - Mill Finish (M) or Natural Anodised (A).

**(B) AP1794** Front frame - Mill Finish (M) or Natural Anodised (A).  
May be powdercoated to your requirements



**(F) STANDARD BACKING BOARD**  
3mm white waterproof PVC.  
**AP1739**

**(G) CLEAR PLASTIC COVER SHEET**  
COVER SHEET & POSTER  
Specify size - eg. #AP1731/A2  
**AP1731**



### AP1740 WALL MOUNT

- Backing board - 3mm white PVC
- Cover sheet - 1.0mm clear plastic.
- Back frame - Mill finish.
- Front frame - Natural anodised.
- Specify size - eg. #1740/A3

### AP1741 HANGING OR WINDOW MOUNT

- Backing board - 4mm clear acrylic
- Cover sheet - 1.0mm clear plastic.
- Back frame - Natural anodised
- Front frame - Natural anodised.
- Specify size - eg. #1741/A2


### AP1742 LIGHT BOX COVER

- Backing board - 4mm opal acrylic.
- Cover sheet - 1.0mm clear plastic.
- Back frame - Mill finish
- Front frame - Natural anodised.
- Specify size - eg. #1742/A1

### (C) E-SPRING CLIP

Spring steel clip makes frame snap shut. Use minimum of 2 pieces per frame side.

**AP1799**



### (D) PLASTIC CORNER

Plastic moulded corner tightens onto frame with grub screws. 4 required per frame.

**AP1797**

Available in Grey (GY) or Black (BL).



### (E) CORNER CAP

Moulded plastic. Push fit into plastic corner.

**AP1798**

Available in Bright Chrome (C) or Satin Chrome (S).



### SUCTION CAP ATTACHMENT

Plastic fitting clips onto the back of plastic corner and retains suction cap.

**AP1744**

Includes plastic clip & suction cap. Use 4 sets per frame



# 'ZIVA' FOOTPATH SIGN

## 'ZIVA' FOOTPATH SIGN

- 70% of final purchasing decisions are made at the point of purchase. But first you have to get them into your stores.
- Taken over their lifespan, footpath signs are an extremely cost effective medium.
- Changing your advertising message to suit your current promotion, or product release, stimulates a higher level of interest resulting in increased sales.
- ZIVA Footpath Signs take A1 posters or digital prints which can be quickly and easily changed by one person.
- ZIVA Footpath Signs virtually eliminate the tripping hazard that traditional A-Frame signs present. The water weighted base prevents them being blown away in strong winds and becoming a traffic hazard.



AP1705

COLOURS STOCKED:



Dark Blue



White Haze



Red



Yellow



Graphite



Designed for exterior use - completely weatherproof and UV colour fast



Water weightable base for use in exposed situations



Quickly and easily changed by one person



Wheels for easy positioning




Lockable



Suitable for use with chalkboard panels - keeps

## ROPE STANDS

- Deluxe chrome-plated stand on heavy metal base. Ships in component form and simply screws together for simple assembly.
- Available as plain pole, with decorative ball top or with sign holder to provide full directional capabilities.
- Quality braided rope is available in a selection of popular colours and is supplied fully assembled with chrome-plated clip-on end fittings that attach securely to the ring of the stand.




**AP1712**  
1.5mtr Rope with ends.  
**AP1713**  
1.8mtr Rope with ends.

**AP1700**  
Plain rope stand.  
Base dia: 350mm  
Stand height: 930mm

**AP1701**  
Rope stand with your selection of signholder - chrome frame or acrylic sleeve.

**AP1702**  
Rope stand with decorative ball top.



## RETRACTABLE BELT STANDS

- Quality stainless steel stand with weighted base and self contained retractable belt.
- Belt extends to any distance up to 2 metres.
- Wall bracket available to start a continuous run.



Simply pull the belt from the head.



**A BELT STAND**  
**AP1715**  
Base dia: 350mm  
Pole height: 1000mm

**B WALL MOUNT**  
**AP1716**  
Including 2 metre belt.


**C WALL BRACKET**  
**AP1717**  
For attaching end of belt.



Belt fitting attaches snugly into a choice of angles on the next stand.

## EDGE-LIT LIGHTBOXES

- We are pleased to introduce our new range of ultra-thin lightboxes incorporating the latest edge lighting technology, offering the following features:
- Edge lighting provides an indirect light source that gives a much more even light distribution while eliminating the 'hot spots' of the traditional back lit lightbox.
- The optical panel has special reflection and diffusion papers attached to provide maximum illumination.
- Panel thickness is precisely matched to the light panel surface area to provide regulated light emission.
- Highly efficient electronic ballast gives longer tube life (average 6000 hrs) and low power consumption while the Tri-Phosphor fluorescent tubes provide maximum brightness.



## PLASTIC FRAMED LIGHTBOXES

For the slimmest double-sided viewing in the world, these elegant molded plastic-framed edge lit lightboxes offer a convenient method of conveying your message right at the point of sale. Make your product the one that stand out where decisions are made.

- Easy graphic change
- Only 32mm thickness
- Even illumination
- Ready to plug in
- Low power consumption
- Integral on/off switch
- Long life fluorescents



### AP1603 - A3

Body Size: 515 x 365 x 32mm  
Viewing Area: 415 x 287mm  
Weight: 8.5kg  
Power Consumption: 13W x 2



'M' Stand for mounting at right angles to either wall or ceiling.

### AP1604 - A4

Body Size: 382 x 275 x 32mm  
Viewing Area: 291 x 203mm  
Weight: 2.2kg  
Power Consumption: 8W x 2

The following mounting brackets are included with each lightbox:



Base Stand - adjustable angle to 15°.



'J' Stand for mounting against wall with keyhole attachment.

## ALUMINIUM FRAMED LIGHTBOXES

Classic aluminium radiussed, mitred frame with spring-action clip-on front loading facility for simplicity of graphic replacement. With an overall thickness of only 42mm and the even illumination of the edge-lighting technology, these lightboxes will be at home in the most exclusive environment including subways, terminals, stations, airports, banks, hotels, convention centres, department stores, etc...

### AP1610 - A0

Body Size: 1288 x 940 x 42mm  
Viewing Area: 1168 x 820mm  
Weight: 28kg  
Power Consumption: 28W x 2

### AP1612 - A2

Body Size: 695 x 520 x 42mm  
Viewing Area: 574 x 400mm  
Weight: 9kg  
Power Consumption: 14W x 2

### AP1611 - A1

Body Size: 940 x 694 x 42mm  
Viewing Area: 820 x 574mm  
Weight: 15kg  
Power Consumption: 21W x 2

### AP1614 - A4

Body Size: 1630 x 1116 x 42mm  
Viewing Area: 1506 x 996mm  
Weight: 50kg  
Power Consumption: 35W x 2



## DOUBLE-SIDED LIGHTBOX

Double-sided viewing with 2 off acrylic edge-lit panels enclosed in aluminium frame. For suspended applications or for mounting on stands, SUSPENSE cables, etc...

### AP1620 - A0

Body Size: 1268 x 920 x 40mm  
Viewing Area: 1168 x 820mm  
Weight: 82kg  
Power Consumption: 40W x 2

### AP1622 - A2

Body Size: 674 x 500 x 40mm  
Viewing Area: 574 x 400mm  
Weight: 15kg  
Power Consumption: 20W x 2

### AP1621 - A1

Body Size: 920 x 674 x 40mm  
Viewing Area: 820 x 574mm  
Weight: 30kg  
Power Consumption: 30W x 2



## EDGE-LIT FIN

For the slimmest projection ever, these fins consist of an aluminium extrusion that houses the fluorescent tube with just the acrylic panel protruding. These units can be used with sensational effect sitting on a counter, suspended from the ceiling or mounted vertically on the wall. Available as either single or double-sided viewing. The aluminium housing may be concealed behind a removable panel so that only the fin is exposed.

### Single Sided

#### AP1631

Body Size: 600 x 200mm  
Weight: 4.5kg  
Power Consumption: 14W

#### AP1632

Body Size: 900 x 300mm  
Weight: 10g  
Power Consumption: 21W

#### AP1633

Body Size: 1200 x 400mm  
Weight: 17g  
Power Consumption: 28W

### Double Sided

#### AP1641

Body Size: 600 x 200mm  
Weight: 4.5kg  
Power Consumption: 14W

#### AP1642

Body Size: 900 x 300mm  
Weight: 10g  
Power Consumption: 21W

#### AP1643

Body Size: 1200 x 400mm  
Weight: 17g  
Power Consumption: 28W



# TICKET CLIPS

## TICKET CHANNEL

With adhesive tape.



AP507/3 - 75mm (L)

AP507/6 - 150mm (L)

## SHELF TICKET HOLDER



AP511

## FREE-STANDING TICKET CLIP



AP509 - 32mm (L)

## VERTICAL TICKET HOLDER



AP513 - 75mm (L)

AP514 - 150mm (L)

## ACRYLIC TICKET HOLDER



AP508

## SUCTION CUPS - 20mm dia.



AP603



AP604

With metal hook.

## SHELF FRONT TICKET HOLDER



AP512A

## SUCTION CUPS - 40mm dia.



AP600



AP601

With metal hook.

## WIRE FRONT TICKET HOLDER



AP512

## SUCTION CUPS - 65mm dia.



AP605



## ACRYLIC TICKET FRAMES

Chrome base channel with clear acrylic ticket holder.

- AP518** - A5 Portrait
- AP518L** - A5 Landscape
- AP519** - A4 Portrait
- AP519L** - A4 Landscape



## PLASTIC FRAMES

Durable, injection-moulded frames in a range of popular sizes with a range of attachments available to provide universal mounting solutions.



- AP450** - A5
  - AP451** - A4
  - AP452** - A3
- Standard colours - black (BL), red (RD) & clear (CL).

## CHROME TICKET FRAMES

Deluxe mitered-corner chrome frame with top opening.

- AP545** - A4 Portrait
- AP546** - A4 Landscape
- AP547** - A5 Portrait
- AP549** - A3 Landscape



## T-PIECE

For connecting frames to stems.



- AP453**
- Standard colours - black (BL), red (RD) & clear (CL).

## THREADED STEMS

Threaded both ends



- AP520** - 75mm (L)
- AP521** - 150mm (L)
- AP523** - 230mm (L)
- AP524** - 300mm (L)

- AP486**  
Adjustable height 300 - 500mm

## BASE & ADJUSTABLE SHAFT

Plastic-coated corrosion-free 'L' base with offset stem for placement under cartons or free-standing. Standard colour - Black.



- AP468**  
Telescopic shaft - plastic material adjusts in height from 300-600mm.
- AP469**

## CHROME BASE


For threaded stems - 125mm dia.



- AP485**

## FLOOR STAND

Stable circular base of heavy steel plate chrome shaft adjusts in height from 1000mm - 1700mm. Order 'T' piece and choice of plastic frame separately. White finish.



- AP481**

## MAGNETIC BASES

Straight

- AP525** - 75mm (L)
- AP525A** - 150mm (L)

Corner

Magnetic - for mounting onto rack and metal tubing.

- AP526**



